

PharmLabs San Diego Certificate of Analysis



Sample Juicy Peach Sour'd Sumo 25ct

| | | | |
|-------------------------|----------------|---------------------------------------------|-------------------------|
| Delta9 THC 0.12% | THCa ND | Total THC (THCa * 0.877 + THC) 0.12% | Delta8 THC 4.28% |
|-------------------------|----------------|---------------------------------------------|-------------------------|

| | | |
|------------------------------------------------------------------------|----------------------------------------------------------------------------|------------------------------|
| Sample ID SD250729-015 (119662) | Matrix Edible | Batch ID F4G15JPI |
| Tested for Fresh Farms E-Liquid LLC | | |
| Cultivator/Manufacturer/Microbusiness License FDAC #424823 | Address 2751 Commerce Center Way, Unit 400, Pembroke Park, FL , 33023-5993 | Name Bio Minerals Pharma LLC |
| Received Jul 28, 2025 | Reported Jan 05, 2026 | |
| Analyses executed CANX, RES, MIBIG, MICX, MTO, PES, HME, FVI, MWA, D9C | Unit Mass (g) 111.75 | Num. of Servings 25 |
| | | Serving Size (g) 4.47 |

Laboratory note: The licensee holds a current and valid permit as referenced in the Cultivator/Manufacturer/Microbusiness License field, and the facility meets the human health or food safety sanitization requirements of the regulatory entity as documented by the regulatory entity. **Summary D9C:** The total Δ9-THC content in this sample is 0.12%. For the most accurate Δ9-THC concentration, refer to the GC MS/MS section of this COA. This sample was tested using HPLC and GC MS/MS. HPLC analysis can yield inconsistent results for Δ8-THC and Δ9-THC due to isomer interference. GC MS/MS was employed to avoid this issue. Please note, if THCa is present, the Δ9-THC level measured by GC MS/MS might be higher due to decarboxylation.

D9C - D9 Confirmation

Analyzed Jul 26, 2025 | Instrument GC MS/MS | Method SOP-041 D9C
The expanded Uncertainty of the D9 Confirmation analysis is approximately ±7.806% at the 95% Confidence Level

| Analyte | LOD ppb | LOQ ppb | Result % | Result mg/g | Result mg/Serving | Result mg/Unit |
|----------------------------------|---------|---------|----------|-------------|-------------------|----------------|
| Δ9-Tetrahydrocannabinol (Δ9-THC) | 1.462 | 4.432 | 0.12 | 1.17 | 5.23 | 130.75 |
| Total Cannabinoids Analyzed | - | - | 0.12 | 1.17 | 5.23 | 130.75 |

CANx - Cannabinoids

Analyzed Jul 24, 2025 | Instrument HPLC-VWD | Method SOP-001
The expanded Uncertainty of the Cannabinoids analysis is approximately ±7.81% at the 95% Confidence Level

| Analyte | LOD mg/g | LOQ mg/g | Result % | Result mg/g | Result mg/Serving | Result mg/Unit |
|----------------------------------------------------------------------|----------|----------|----------|-------------|-------------------|----------------|
| 11-Hydroxy-Δ8-Tetrahydrocannabinol (11-Hyd-Δ8-THCV) | 0.013 | 0.041 | ND | ND | ND | ND |
| Cannabidiol (CBDO) | 0.006 | 0.02 | ND | ND | ND | ND |
| Abnormal Cannabidiol (a-CBDO) | 0.013 | 0.038 | ND | ND | ND | ND |
| (+/-)-9B-Hydroxy-Hexahydrocannabinol (9b-HHC) | 0.015 | 0.045 | ND | ND | ND | ND |
| 11-Hydroxy-Δ8-Tetrahydrocannabinol (11-Hyd-Δ8-THC) | 0.015 | 0.045 | ND | ND | ND | ND |
| Cannabidiolic Acid (CBDA) | 0.033 | 0.16 | ND | ND | ND | ND |
| Cannabigerol Acid (CBGA) | 0.033 | 0.16 | ND | ND | ND | ND |
| Cannabigerol (CBG) | 0.048 | 0.16 | 0.02 | 0.18 | 0.80 | 20.12 |
| Cannabidiol (CBD) | 0.069 | 0.229 | 3.13 | 31.33 | 140.05 | 3501.13 |
| 1(S)-Tetrahydrocannabinol (1(S)-H4-CBD) | 0.008 | 0.026 | ND | ND | ND | ND |
| 1(R)-Tetrahydrocannabinol (1(R)-H4-CBD) | 0.016 | 0.049 | ND | ND | ND | ND |
| Tetrahydrocannabinol (THCV) | 0.049 | 0.162 | 0.01 | 0.06 | 0.27 | 6.70 |
| Δ8-tetrahydrocannabinol (Δ8-THCV) | 0.012 | 0.036 | 0.02 | 0.21 | 0.94 | 23.47 |
| Cannabidihexol (CBDH) | 0.014 | 0.042 | ND | ND | ND | ND |
| Tetrahydrocannabinol (Δ9-THCB) | 0.01 | 0.029 | ND | ND | ND | ND |
| Cannabinol (CBN) | 0.047 | 0.16 | 0.01 | 0.12 | 0.54 | 13.41 |
| Cannabidiphorol (CBDP) | 0.016 | 0.049 | ND | ND | ND | ND |
| exo-THC (exo-THC) | 0.016 | 0.8 | ND | ND | ND | ND |
| Tetrahydrocannabinol (Δ9-THC) | 0.092 | 0.307 | D9C | D9C | D9C | D9C |
| Δ8-tetrahydrocannabinol (Δ8-THC) | 0.044 | 0.16 | 4.28 | 42.82 | 191.41 | 4785.14 |
| (6aR,9S)-Δ10-Tetrahydrocannabinol ((6aR,9S)-Δ10) | 0.015 | 0.8 | ND | ND | ND | ND |
| Hexahydrocannabinol (S Isomer) (9s-HHC) | 0.017 | 0.8 | ND | ND | ND | ND |
| (6aR,9R)-Δ10-Tetrahydrocannabinol ((6aR,9R)-Δ10) | 0.007 | 0.8 | ND | ND | ND | ND |
| Hexahydrocannabinol (R Isomer) (9r-HHC) | 0.016 | 0.8 | ND | ND | ND | ND |
| Tetrahydrocannabinolic Acid (THCA) | 0.117 | 0.389 | ND | ND | ND | ND |
| Δ9-Tetrahydrocannabinol (Δ9-THCH) | 0.02 | 0.061 | ND | ND | ND | ND |
| Cannabinol Acetate (CBNO) | 0.009 | 0.027 | ND | ND | ND | ND |
| 9(S)-Hexahydrocannabinolic Acid (9(S)-HHCa) | 0.063 | 0.065 | ND | ND | ND | ND |
| 9(R)-Hexahydrocannabinolic Acid (9(R)-HHCa) | 0.191 | 0.196 | ND | ND | ND | ND |
| Δ9-Tetrahydrocannabinol (Δ9-THCP) | 0.017 | 0.8 | 0.19 | 1.88 | 8.40 | 210.09 |
| Δ8-Tetrahydrocannabinol (Δ8-THCP) | 0.041 | 0.8 | 0.02 | 0.15 | 0.67 | 16.76 |
| Cannabicitran (CBT) | 0.005 | 0.16 | 0.02 | 0.22 | 0.98 | 24.58 |
| Δ8-THC-O-acetate (Δ8-THCO) | 0.076 | 0.8 | ND | ND | ND | ND |
| 9(S)-HHCP (s-HHCP) | 0.013 | 0.041 | ND | ND | ND | ND |
| Δ9-THC-O-acetate (Δ9-THCO) | 0.066 | 0.8 | ND | ND | ND | ND |
| 9(R)-HHCP (r-HHCP) | 0.015 | 0.045 | ND | ND | ND | ND |
| 9(S)-HHC-O-acetate (s-HHCO) | 0.037 | 0.112 | ND | ND | ND | ND |
| 9(R)-HHC-O-acetate (r-HHCO) | 0.031 | 0.093 | ND | ND | ND | ND |
| 3-octyl-Δ8-Tetrahydrocannabinol (Δ8-THC-C8) | 0.021 | 0.062 | ND | ND | ND | ND |
| Total THC (THCa * 0.877 + Δ9THC) | | | D9C | D9C | D9C | D9C |
| Total THC + Δ8THC + Δ10THC (THCa * 0.877 + Δ9THC + Δ8THC + Δ10THC) | | | 4.28 | 42.82 | 191.41 | 4785.14 |
| Total CBD (CBDA * 0.877 + CBD) | | | 3.13 | 31.33 | 140.05 | 3501.13 |
| Total CBG (CBGa * 0.877 + CBG) | | | 0.02 | 0.18 | 0.80 | 20.12 |
| Total HHC (9r-HHC + 9s-HHC) | | | ND | ND | ND | ND |
| Total Cannabinoids Analyzed | | | 7.70 | 76.97 | 344.06 | 8601.40 |

UI Unidentified
ND Not Detected
N/A Not Applicable
NT Not Reported
LOD Limit of Detection
LOQ Limit of Quantification
<LOQ Detected
>ULOL Above upper limit of linearity
CFU/g Colony Forming Units per 1 gram
TNTC Too Numerous to Count



DEA license: RP0611043
ISO/IEC 17025:2017 Acc. 85368



Scan the QR code to verify authenticity.

Authorized Signature

Brandon Starr

Brandon Starr, Quality Assurance Manager
Mon, 05 Jan 2026 17:16:11 -0800

PharmLabs San Diego | 3421 Hancock St, Second Floor, San Diego, CA 92110 | 619.356.0898 | ISO/IEC 17025:2017 Acc. 85368



PharmLabs hereby states that its Certificates of Analysis (COA) do not certify compliance with any federal, state, or local law or regulation, including but not limited to the 2019 Form 991. This COA is provided solely for informational purposes and is not intended for reliance by consumers or purchasers of a product. This report shall not be reproduced, except in full, without the prior written approval of PharmLabs. This report is not intended to diagnose, treat, cure, or prevent any disease. Results apply only to the specific sample(s) and batch(es) identified on this COA and do not represent any other lot, batch, or product from the client. Measurement of uncertainty is available upon request and, when legally required, has been reported on the certificate. PharmLabs makes no representation or warranty, express or implied, regarding the tested product's safety, efficacy, quality, merchantability, or fitness for a particular purpose. PharmLabs expressly disclaims any liability for damages, claims, costs, or expenses arising out of the use, misuse, or reliance upon this COA by any party. PharmLabs relies on information provided by the client regarding the identity, sampling, and chain of custody of the submitted material. PharmLabs assumes no responsibility for errors, omissions, or misrepresentations in such information. It is the sole responsibility of the client to determine and ensure the compliance of their product(s) with all applicable federal, state, and local laws and regulations. This COA may not be used in whole or in part for marketing, advertising, promotional, or labeling purposes without the prior written consent of PharmLabs. This COA is valid only as of the date of issuance and does not guarantee the stability or continued conformity of the tested product beyond that date. Any dispute arising out of or related to this COA shall be governed by the laws of the State of California, without regard to its conflict of laws principles.

HME - Heavy Metals

Analyzed Aug 11, 2025 | Instrument ICP/MSMS | Method SOP-005

| Analyte | LOD ug/g | LOQ ug/g | Result ug/g | Limit ug/g |
|--------------|----------|----------|-------------|------------|
| Arsenic (As) | 0.0009 | 0.0027 | <LOQ | 0.2 |
| Cadmium (Cd) | 0.0005 | 0.0015 | ND | 0.2 |
| Mercury (Hg) | 0.0058 | 0.0174 | 0.00 | 0.2 |
| Lead (Pb) | 0.0006 | 0.0018 | 0.00 | 0.2 |

MIBIG - Microbial

Analyzed Aug 05, 2025 | Instrument Plating | Method SOP-007

| Analyte | LOD CFU/g | LOQ CFU/g | Result CFU/g | Limit CFU/g |
|----------------------------------------|-----------|-----------|--------------|-------------|
| Shiga toxin-producing Escherichia Coli | 1.0 | 1.0 | ND | 1 |
| Salmonella spp. | 1.0 | 1.0 | ND | N/A |
| Aspergillus fumigatus | 1.0 | 1.0 | Negative | 1 |
| Aspergillus flavus | 1.0 | 1.0 | Negative | 1 |
| Aspergillus niger | 1.0 | 1.0 | Negative | 1 |
| Aspergillus terreus | 1.0 | 1.0 | Negative | 1 |

MTO - Mycotoxin

Analyzed Aug 06, 2025 | Instrument LC/MSMS | Method SOP-004

| Analyte | LOD ug/kg | LOQ ug/kg | Result ug/kg | Limit ug/kg | Analyte | LOD ug/kg | LOQ ug/kg | Result ug/kg | Limit ug/kg |
|--------------|-----------|-----------|--------------|-------------|------------------|-----------|-----------|--------------|-------------|
| Ochratoxin A | 5.0 | 20.0 | ND | 20 | Aflatoxin B1 | 2.5 | 5.0 | ND | 20 |
| Aflatoxin B2 | 2.5 | 5.0 | ND | 20 | Aflatoxin G1 | 2.5 | 5.0 | ND | 20 |
| Aflatoxin G2 | 2.5 | 5.0 | ND | 20 | Total Aflatoxins | 10.0 | 20.0 | ND | 20 |

UI Unidentified
 ND Not Detected
 N/A Not Applicable
 NT Not Reported
 LOD Limit of Detection
 LOQ Limit of Quantification
 <LOQ Detected
 >ULOL Above upper limit of linearity
 CFU/g Colony Forming Units per 1 gram
 TNTC Too Numerous to Count



DEA license: RP0611043
 ISO/IEC 17025:2017 Acc. 85368



Scan the QR code to verify authenticity.

Authorized Signature

Brandon Starr

Brandon Starr, Quality Assurance Manager
 Mon, 05 Jan 2026 17:16:11 -0800

PharmLabs San Diego | 3421 Hancock St, Second Floor, San Diego, CA 92110 | 619.356.0898 | ISO/IEC 17025:2017 Acc. 85368



PharmLabs hereby states that its Certificates of Analysis (COA) do not certify compliance with any federal, state, or local law or regulation, including but not limited to the 209 Form Bill. This COA is provided solely for informational purposes and is not intended for reliance by consumers or purchasers of a product. This report shall not be reproduced, except in full, without the prior written approval of PharmLabs. This report is not intended to diagnose, treat, cure, or prevent any disease. Results apply only to the specific sample(s) and batch(es) identified on this COA and do not represent any other lot, batch, or product from the client. Measurement of uncertainty is available upon request and, when legally required, has been reported on the certificate. PharmLabs makes no representation or warranty, express or implied, regarding the tested product's safety, efficacy, quality, merchantability, or fitness for a particular purpose. PharmLabs expressly disclaims any liability for damages, claims, costs, or expenses arising out of the use, misuse, or reliance upon this COA by any party. PharmLabs relies on information provided by the client regarding the identity, sampling, and chain of custody of the submitted material. PharmLabs assumes no responsibility for errors, omissions, or misrepresentations in such information. It is the sole responsibility of the client to determine and ensure the compliance of their product(s) with all applicable federal, state, and local laws and regulations. This COA may not be used in whole or in part for marketing, advertising, promotional, or labeling purposes without the prior written consent of PharmLabs. This COA is valid only as of the date of issuance and does not guarantee the stability or continued conformity of the tested product beyond that date. Any dispute arising out of or related to this COA shall be governed by the laws of the State of California, without regard to its conflict of laws principles.

PES - Pesticides

Analyzed Aug 06, 2025 | Instrument LC/MSMS GC/MSMS | Method SOP-003

| Analyte | LOD ug/g | LOQ ug/g | Result ug/g | Limit ug/g | Analyte | LOD ug/g | LOQ ug/g | Result ug/g | Limit ug/g |
|-------------------------|----------|----------|-------------|------------|-----------------------|----------|----------|-------------|------------|
| Aldicarb | 0.01 | 0.02 | ND | 0.02 | Carbofuran | 0.01 | 0.02 | ND | 0.02 |
| Dimethoate | 0.01 | 0.02 | ND | 0.02 | Etofenprox | 0.02 | 0.1 | ND | 0.1 |
| Fenoxycarb | 0.01 | 0.02 | ND | 0.02 | Thiachlorpid | 0.01 | 0.02 | ND | 0.02 |
| Daminozide | 0.01 | 0.03 | ND | 0.03 | Dichlorvos | 0.02 | 0.07 | ND | 0.07 |
| Imazalil | 0.02 | 0.07 | ND | 0.07 | Methiocarb | 0.01 | 0.02 | ND | 0.02 |
| Spiroxamine | 0.01 | 0.02 | ND | 0.02 | Coumaphos | 0.01 | 0.02 | ND | 0.02 |
| Fipronil | 0.01 | 0.1 | ND | 0.1 | Paclobutrazol | 0.01 | 0.03 | ND | 0.03 |
| Chlorpyrifos | 0.01 | 0.04 | ND | 0.04 | Ethoprophos (Prophos) | 0.01 | 0.02 | ND | 0.02 |
| Baygon (Propoxur) | 0.01 | 0.02 | ND | 0.02 | Chlordane | 0.04 | 0.1 | ND | 0.1 |
| Chlorfenapyr | 0.03 | 0.1 | ND | 0.1 | Methyl Parathion | 0.02 | 0.1 | ND | 0.1 |
| Mevinphos | 0.03 | 0.08 | ND | 0.08 | Abamectin | 0.03 | 0.08 | ND | 0.08 |
| Acephate | 0.02 | 0.05 | ND | 0.05 | Acetamiprid | 0.01 | 0.05 | ND | 0.05 |
| Azoxystrobin | 0.01 | 0.02 | ND | 0.02 | Bifenazate | 0.01 | 0.05 | ND | 0.05 |
| Bifenthrin | 0.02 | 0.35 | ND | 0.1 | Boscalid | 0.01 | 0.03 | ND | 0.03 |
| Carbaryl | 0.01 | 0.02 | ND | 0.02 | Chlorantraniliprole | 0.01 | 0.04 | ND | 0.04 |
| Clofentezine | 0.01 | 0.03 | ND | 0.03 | Diazinon | 0.01 | 0.02 | ND | 0.02 |
| Dimethomorph | 0.02 | 0.06 | ND | 0.06 | Etoxazole | 0.01 | 0.05 | ND | 0.05 |
| Fenpyroximate | 0.02 | 0.1 | ND | 0.1 | Fonicamid | 0.01 | 0.02 | ND | 0.02 |
| Fludioxonil | 0.01 | 0.05 | ND | 0.05 | Hexythiazox | 0.01 | 0.03 | ND | 0.03 |
| Imidacloprid | 0.01 | 0.05 | ND | 0.05 | Kresoxim-methyl | 0.01 | 0.03 | ND | 0.03 |
| Malathion | 0.01 | 0.05 | ND | 0.05 | Metalaxyl | 0.01 | 0.02 | ND | 0.02 |
| Methomyl | 0.02 | 0.05 | ND | 0.05 | Myclobutanil | 0.02 | 0.07 | ND | 0.07 |
| Naled | 0.01 | 0.02 | ND | 0.02 | Oxamyl | 0.01 | 0.02 | ND | 0.02 |
| Permethrin | 0.01 | 0.02 | ND | 0.02 | Phosmet | 0.01 | 0.02 | ND | 0.02 |
| Piperonyl Butoxide | 0.02 | 0.06 | ND | 0.06 | Propiconazole | 0.03 | 0.08 | ND | 0.08 |
| Prallethrin | 0.02 | 0.05 | ND | 0.05 | Pyrethrin | 0.05 | 0.41 | ND | 0.1 |
| Pyridaben | 0.02 | 0.07 | ND | 0.07 | Spinosad A | 0.01 | 0.05 | ND | 0.05 |
| Spinosad D | 0.01 | 0.05 | ND | 0.05 | Spiromesifen | 0.02 | 0.06 | ND | 0.06 |
| Spirotetramat | 0.01 | 0.02 | ND | 0.02 | Tebuconazole | 0.01 | 0.02 | ND | 0.02 |
| Thiamethoxam | 0.01 | 0.02 | ND | 0.02 | Trifloxystrobin | 0.01 | 0.02 | ND | 0.02 |
| Acequinocyl | 0.02 | 0.09 | ND | 0.09 | Captan | 0.01 | 0.02 | ND | 0.02 |
| Cypermethrin | 0.02 | 0.1 | ND | 0.1 | Cyfluthrin | 0.04 | 0.1 | ND | 0.1 |
| Fenhexamid | 0.02 | 0.07 | ND | 0.07 | Spinetoram J,L | 0.02 | 0.07 | ND | 0.07 |
| Pentachloronitrobenzene | 0.01 | 0.1 | ND | 0.1 | | | | | |

RES - Residual Solvents

Analyzed Aug 08, 2025 | Instrument GC/FID with Headspace Analyzer | Method SOP-006

| Analyte | LOD ug/g | LOQ ug/g | Result ug/g | Limit ug/g | Analyte | LOD ug/g | LOQ ug/g | Result ug/g | Limit ug/g |
|----------------------------|----------|----------|-------------|------------|-------------------------------|----------|----------|-------------|------------|
| Propane (Prop) | 0.044 | 0.4 | ND | N/A | Butane (But) | 0.02 | 0.4 | ND | 800 |
| Methanol (Metha) | 1.176 | 3.92 | 67.7 | N/A | Ethylene Oxide (EthOx) | 0.08 | 0.4 | ND | N/A |
| Pentane (Pen) | 0.024 | 0.4 | ND | N/A | Ethanol (Ethanol) | 0.048 | 0.4 | ND | 5000 |
| Ethyl Ether (EthEt) | 0.036 | 0.4 | ND | N/A | Acetone (Acet) | 0.044 | 0.4 | <LOQ | N/A |
| Isopropanol (2-Pro) | 1.16 | 3.868 | <LOQ | N/A | Acetonitrile (Acetonit) | 0.888 | 2.952 | ND | N/A |
| Methylene Chloride (MetCh) | 0.04 | 0.4 | ND | N/A | Hexane (Hex) | 0.012 | 0.4 | 52.2 | 100 |
| Ethyl Acetate (EthAc) | 0.032 | 0.4 | ND | N/A | Chloroform (Clo) | 0.028 | 0.4 | ND | N/A |
| Benzene (Ben) | 0.012 | 0.4 | ND | N/A | 1,2-Dichloroethane (1,2-Dich) | 0.024 | 0.4 | ND | N/A |
| Heptane (Hep) | 0.012 | 0.4 | ND | 500 | Trichloroethylene (TriClEth) | 0.072 | 0.4 | ND | N/A |
| Toluene | 0.036 | 0.4 | ND | N/A | Xylenes (Xyl) | 0.012 | 0.4 | ND | N/A |

FVI - Filth & Foreign Material Inspection

Analyzed Aug 01, 2025 | Instrument Microscope | Method SOP-010

| Analyte / Limit | Result | Analyte / Limit | Result |
|------------------------------------------------------------------------|--------|------------------------------------------------------------------------|--------|
| > 1/4 of the total sample area covered by sand, soil, cinders, or dirt | ND | > 1/4 of the total sample area covered by mold | ND |
| > 1 insect fragment, 1 hair, or 1 count mammalian excreta per 3g | ND | > 1/4 of the total sample area covered by an imbedded foreign material | ND |

MWA - Moisture Content & Water Activity

Analyzed Aug 08, 2025 | Instrument Chilled-mirror Dewpoint and Capacitance | Method SOP-008

| Analyte | LOD a _w | LOQ a _w | Result | Limit | Analyte | LOD % M/w | LOQ % M/w | Result | Limit |
|---------------------|--------------------|--------------------|---------------------|-------|---------------|-----------|-----------|-----------|-------|
| Water Activity (WA) | 0.03 | 0.03 | 0.72 a _w | | Moisture (Mo) | 0.0 | 0.0 | 11.7 % Mw | |

MICx - Microbial X

Analyzed Aug 05, 2025 | Instrument Plating | Method SOP-007

| Analyte | LOD CFU/G | LOQ CFU/G | Result CFU/G | Limit CFU/G |
|--------------------------------------|-----------|-----------|--------------|-------------|
| Total Yeast & Molds (TYM) | 1.0 | 1.0 | ND | 10000 |
| Listeria (LIS) | 1.0 | 1.0 | ND | N/A |
| Gram Negative Bacteria (BTGN) | 1.0 | 1.0 | ND | 1000 |
| Total Viable Aerobic Bacteria (TVAB) | 1.0 | 1.0 | ND | 100000 |

UI Unidentified
 ND Not Detected
 N/A Not Applicable
 NT Not Reported
 LOD Limit of Detection
 LOQ Limit of Quantification
 <LOQ Detected
 >ULOL Above upper limit of linearity
 CFU/g Colony Forming Units per 1 gram
 TNTC Too Numerous to Count



DEA license: RP0611043
 ISO/IEC 17025:2017 Acc. 85368



Scan the QR code to verify authenticity.

Authorized Signature

Brandon Starr

Brandon Starr, Quality Assurance Manager
 Mon, 05 Jan 2026 17:16:11 -0800

PharmLabs San Diego | 3421 Hancock St, Second Floor, San Diego, CA 92110 | 619.356.0898 | ISO/IEC 17025:2017 Acc. 85368



PharmLabs hereby states that its Certificates of Analysis (COA) do not certify compliance with any federal, state, or local law or regulation, including but not limited to the 209 Form Bill. This COA is provided solely for informational purposes and is not intended for reliance by consumers or purchasers of a product. This report shall not be reproduced, except in full, without the prior written approval of PharmLabs. This report is not intended to diagnose, treat, cure, or prevent any disease. Results apply only to the specific sample(s) and batch(es) identified on this COA and do not represent any other lot, batch, or product from the client. Measurement of uncertainty is available upon request and, when legally required, has been reported on the certificate. PharmLabs makes no representation or warranty, express or implied, regarding the tested product's safety, efficacy, quality, merchantability, or fitness for a particular purpose. PharmLabs expressly disclaims any liability for damages, claims, costs, or expenses arising out of the use, misuse, or reliance upon this COA by any party. PharmLabs relies on information provided by the client regarding the identity, sampling, and chain of custody of the submitted material. PharmLabs assumes no responsibility for errors, omissions, or misrepresentations in such information. It is the sole responsibility of the client to determine and ensure the compliance of their product(s) with all applicable federal, state, and local laws and regulations. This COA may not be used in whole or in part for marketing, advertising, promotional, or labeling purposes without the prior written consent of PharmLabs. This COA is valid only as of the date of issuance and does not guarantee the stability or continued conformity of the tested product beyond that date. Any dispute arising out of or related to this COA shall be governed by the laws of the State of California, without regard to its conflict of laws principles.