

Fortis Enterprise Inc.

Client Lic#: 2901 Daimler St. Santa Ana, FL 92705
Fortis Enterprise Inc.



Compliance for Retail: **PASS**

Astro Eight 1CT Hash Hole Rocket Runtz

Total Sample Received:
 Total Units Received: 1

Date Sampled: 03/25/2026
 Date Received: 03/25/2026
 Date Reported: 04/07/2026

Sample ID: T6C0960-01 CCB ID: Lot A8-PR-RR01-8124
 Matrix: Flower Inhalable

Safety Summary

Foreign Materials PASS	Heavy Metals PASS	Microbials PASS	Moisture Content PASS	Mycotoxins PASS
Pesticides PASS	Residual Solvents PASS	Terpenes TESTED	Water Activity PASS	Vitamins Supplements TESTED

Potency Summary

Cannabinoids

Date Prepared: 03/25/2026 13:32 Prep ID: 4599 Specimen Wt: 0.508 g
 Date Analyzed: 03/25/2026 19:16 Analyst ID: 5047 Instrument: HPLC VWD
 Lab Batch: 2613095 Prep/Analysis Method: SOP 1357

Analyte	Dilution	Results	mg/Serving mg/Unit	
			mg	mg
Cannabichromene (CBC)	1	0.0464	N/A	N/A
Cannabidiol (CBD)	1	0.427	N/A	N/A
Cannabidiolic acid (CBDA)	1	9.53	N/A	N/A
Cannabidivarin (CBDV)	1	ND	N/A	N/A
Cannabigerol (CBG)	1	ND	N/A	N/A
Cannabigerolic acid (CBGA)	1	0.232	N/A	N/A
Cannabinol (CBN)	1	ND	N/A	N/A
d8 - Tetrahydrocannabinoid (d8-THC)	1	ND	N/A	N/A
d9 - Tetrahydrocannabinoid (d9-THC)	1	0.121	N/A	N/A
d9 - Tetrahydrocannabinolic acid (THCA)	1	ND	N/A	N/A
Tetrahydrocannabivarin (THCV)	1	ND	N/A	N/A
Hexahydrocannabinol (HHC)	1	8.59	N/A	N/A
d10 - Tetrahydrocannabinoid (d10-THC)	1	ND	N/A	N/A
THCp tot	1	4.79	N/A	N/A
Total THC		0.121	0.000	0.000
Total CBD		8.79	0.000	0.000
Total Cannabinoids		23.7	0.000	0.000

Total THC= THCa * 0.877 + d8-THC. Total CBD= CBDA * 0.877 + CBD.
 mg/Unit = Unit Weight g * Total THC/CBD mg/g Serving Size: g
 LOD = Limit of Detection; ND = Not Detected.
 Unless otherwise stated all quality control samples performed within specifications established by the Laboratory.

TL Laboratories

10350 Fisher Ave, Tampa, Florida 33619
 813-726-3103 / www.terlifelabs.com

Brian C. Spann
 Laboratory Director



The data contained therein are based on sound scientific analytical procedures and judgment. TL Laboratories strives to deliver high quality results. This report shall not be reproduced without written consent from TL Laboratories. The results of this report relate only to the material or product received and analyzed. Test Results are confidential unless explicitly waived otherwise. This laboratory is accredited in accordance with the recognised International Standard ISO/IEC 17025. This accreditation demonstrates technical competence for a defined scope and the operation of a laboratory quality management system (refer to joint ISOILAC-IAF Communiqué dated April 2017)

Fortis Enterprise Inc.

Client Lic#: 2901 Daimler St. Santa Ana, FL 92705
Fortis Enterprise Inc.



Compliance for Retail: **PASS**

Astro Eight 1CT Hash Hole Rocket Runtz

Total Sample Received:
 Total Units Received: 1

Date Sampled: 03/25/2026
 Date Received: 03/25/2026
 Date Reported: 04/07/2026

Sample ID: T6C0960-01 CCB ID: Lot A8-PR-RR01-8124
 Matrix: Flower Inhalable

Pesticides

Pass

Prep Method: SOP 1363	Batch	Instrument	Analyzed	Analyst	Prepped	Prepped By	Specimen Wt. (g)	Analysis SOP
Pesticide LCQQQ	2613086	LCMSMS	3/26/2026 4:05:02PM	2670-10866	3/25/2026 1:18:00PM	4599	1.02	SOP1350
* Pesticides GCQQQ	2613087	GCMSMS	3/26/2026 7:26:28AM	2670	3/25/2026 1:20:00PM	4599	1.02	SOP1356

Analyte	DIL	Action Limit	LOD	Results	Status	Analyte	DIL	Action Limi	LOD	Results	Status
			ppb	ppb	ppb				ppb	ppb	ppb
Abamectin	1	100	10.0	ND	Pass	Imidacloprid	1	400	40.0	ND	Pass
Acephate	1	100	10.0	ND	Pass	Kresoxim-methyl	1	100	10.0	ND	Pass
Acequinocyl	1	100	10.0	ND	Pass	Malathion	1	200	20.0	ND	Pass
Acetamiprid	1	100	10.0	ND	Pass	Metalaxyl	1	100	10.0	ND	Pass
Aldicarb	1	100	10.0	ND	Pass	Methiocarb	1	100	10.0	ND	Pass
Azoxystrobin	1	100	10.0	ND	Pass	Methomyl	1	100	10.0	ND	Pass
Bifenazate	1	100	10.0	ND	Pass	Mevinphos	1	100	10.0	ND	Pass
Bifenthrin	1	100	10.0	ND	Pass	Myclobutanil	1	100	10.0	ND	Pass
Boscalid	1	100	10.0	ND	Pass	Naled	1	250	25.0	ND	Pass
Carbaryl	1	500	50.0	ND	Pass	Oxamyl	1	500	50.0	ND	Pass
Carbofuran	1	100	10.0	ND	Pass	Paclbutrazol	1	100	10.0	ND	Pass
Chlorantraniliprole	1	1000	100	ND	Pass	Permethrin	1	100	10.0	ND	Pass
Chloromequat Chloride	1	1000	100	ND	Pass	Phosmet	1	100	10.0	ND	Pass
Chlorpyrifos	1	100	10.0	ND	Pass	Piperonyl butoxide	1	3000	300	ND	Pass
Clofentezine	1	200	20.0	ND	Pass	Prallethrin	1	100	10.0	ND	Pass
Coumaphos	1	100	10.0	ND	Pass	Propiconazole	1	100	10.0	ND	Pass
Cyfluthrin	1	500	50.0	ND	Pass	Propoxur	1	100	10.0	ND	Pass
Cypermethrin	1	500	50.0	ND	Pass	Pyrethrins	1	500	50.0	ND	Pass
Daminozide	1	100	10.0	ND	Pass	Pyridaben	1	200	20.0	ND	Pass
Diazinon	1	100	10.0	ND	Pass	Spinetoram, total	1	200	20.0	ND	Pass
Dichlorvos	1	100	10.0	ND	Pass	Spinosad, total	1	100	10.0	ND	Pass
Dimethoate	1	100	10.0	ND	Pass	Spiromesifen	1	100	10.0	ND	Pass
Dimethomorph	1	200	20.0	ND	Pass	Spirotetramat	1	100	10.0	ND	Pass
Ethoprofos	1	100	10.0	ND	Pass	Spiroxamine	1	100	10.0	ND	Pass
Etofenprox	1	100	10.0	ND	Pass	Tebuconazole	1	100	10.0	ND	Pass
Etoxazole	1	100	10.0	ND	Pass	Thiacloprid	1	100	10.0	ND	Pass
Fenhexamid	1	100	10.0	ND	Pass	Thiamethoxam	1	500	50.0	ND	Pass
Fenoxycarb	1	100	10.0	ND	Pass	Trifloxystrobin	1	100	10.0	ND	Pass
Fenproximate	1	100	10.0	ND	Pass	Captan*	1	700	70.0	ND	Pass
Fipronil	1	100	10.0	ND	Pass	Chlordane*	1	100	10.0	ND	Pass
Fonicamid	1	100	10.0	ND	Pass	Chlorfenapyr*	1	100	10.0	ND	Pass
Fludioxonil	1	100	10.0	ND	Pass	Methyl parathion*	1	100	10.0	ND	Pass
Hexythiazox	1	100	10.0	ND	Pass	Pentachloronitrobenzene*	1	150	15.0	ND	Pass
Imazalil	1	100	10.0	ND	Pass						

LOD = Limit of Detection; ND = Not Detected.
 Unless otherwise stated all quality control samples performed within specifications established by the Laboratory.
 * - GCMSMS Pesticides

TL Laboratories

10350 Fisher Ave, Tampa, Florida 33619
 813-726-3103 / www.terplifelabs.com

Brian C. Spann
 Laboratory Director



The data contained therein are based on sound scientific analytical procedures and judgment. TL Laboratories strives to deliver high quality results. This report shall not be reproduced without written consent from TL Laboratories. The results of this report relate only to the material or product received and analyzed. Test Results are confidential unless explicitly waived otherwise. This laboratory is accredited in accordance with the recognised International Standard ISO/IEC 17025. This accreditation demonstrates technical competence for a defined scope and the operation of a laboratory quality management system (refer to joint ISOILAC-IAF Communiqué dated April 2017)

Fortis Enterprise Inc.

Client Lic#: 2901 Daimler St. Santa Ana, FL 92705
Fortis Enterprise Inc.



Compliance for Retail: **PASS**

Astro Eight 1CT Hash Hole Rocket Runtz

Total Sample Received:
 Total Units Received: 1

Date Sampled: 03/25/2026
 Date Received: 03/25/2026
 Date Reported: 04/07/2026

Sample ID: T6C0960-01 CCB ID: Lot A8-PR-RR01-8124
 Matrix: Flower Inhalable

Mycotoxins

Pass

Date Prepared: 03/25/2026 13:18 Prepped By: 4599 Specimen Wt: 1.02 g
 Date Analyzed: 03/26/2026 03:30 Analyzed By: 2670-10866 Instrument: LCMSMS
 Lab Batch: 2613086 Prep Method: SOP 1363 Analysis Method: SOP 1350

Analyte	DIL	Action Limit	LOD	Results	Status
		ppb	ppb	ppb	
Aflatoxin B1	1	20.0	2	ND	Pass
Aflatoxin B2	1	20.0	2	ND	Pass
Aflatoxin G1	1	20.0	2	ND	Pass
Aflatoxin G2	1	20.0	2	ND	Pass
Ochratoxin A	1	20.0	2	ND	Pass

LOD = Limit of Detection; ND = Not Detected.
 Unless otherwise stated all quality control samples performed within specifications established by the Laboratory.

Microbials

Pass

Date Prepared: 03/26/2026 10:34 Prep ID: 1093 Specimen Wt: 1.00 g
 Date Analyzed: 03/26/2026 16:11 Analyst ID: 1093 Instrument: qPCR
 Lab Batch: 2613110 Analysis Method: SOP1353/1364/1352

Analyte	Action Limit	LOD	Results	Status
	cfu/g	cfu/g	cfu/g	
Aspergillus Flavus	1.00	1	Absent in 1 gram	Pass
Aspergillus Fumigatus	1.00	1	Absent in 1 gram	Pass
Aspergillus Niger	1.00	1	Absent in 1 gram	Pass
Aspergillus Terreus	1.00	1	Absent in 1 gram	Pass
Salmonella	1.00	1	Absent in 1 gram	Pass
Shiga Toxin producing E. Coli	1.00	1	Absent in 1 gram	Pass
Total Yeast and Mold*	100000	10000	<LOD	Pass

LOD = Limit of Detection; ND = Not Detected.
 Unless otherwise stated all quality control samples performed within specifications established by the Laboratory.
 * Analyzed by Plating

Heavy Metals

Pass

Date Prepared: 03/25/2026 14:11 Prepped By: 1094 Specimen Wt: 0.52 g
 Date Analyzed: 03/26/2026 11:25 Analyzed By: 1094 Instrument: ICPMS
 Lab Batch: 2613099 Prep Method: SOP 1362 Analysis Method: SOP1358

Analyte	DIL	Action Limit	LOD	Results	Status
		ppb	ppb	ppb	
Arsenic	1	200	20.0	25.7	Pass
Cadmium	1	200	20.0	ND	Pass
Lead	1	500	50.0	ND	Pass
Mercury	1	200	20.0	ND	Pass
Total				25.70	

LOD = Limit of Detection; ND = Not Detected.
 Unless otherwise stated all quality control samples performed within specifications established by the Laboratory.

Foreign Materials

Pass

Date Prepared: 03/25/2026 11:13 Prep ID: 3780 Instrument: Visual Inspection
 Date Analyzed: 03/25/2026 12:48 Analyst ID: 3780
 Lab Batch: 2613084 Analysis Method: SOP1359

Analyte	Action Limit (% by wt)	Results	Status
Foreign Material	1.00	ND	Pass
Feces	0.500	ND	Pass

ND = Not Detected.
 Unless otherwise stated all quality control samples performed within specifications established by the Laboratory.

Water Activity

Pass

Date Prepared: 03/25/2026 12:42 Prep ID: 3780 Specimen Wt: 0.50 g
 Date Analyzed: 03/25/2026 12:42 Analyst ID: 3780 Instrument: Water Activity Meter
 Lab Batch: 2613084 Analysis Method: SOP1355

Analyte	Action Limit	Result	Status
	aW	aW	
Water Activity	0.65	0.51	Pass

ND = Not Detected.
 Unless otherwise stated all quality control samples performed within specifications established by the Laboratory.

Moisture Content

Pass

Date Prepared: 03/25/2026 15:18 Prep ID: 10791 Specimen Wt: 0.78 g
 Date Analyzed: 03/25/2026 15:18 Analyst ID: 10791 Instrument: Moisture Oven
 Lab Batch: 2613097 Analysis Method: SOP 1355

Analyte	Action Limit	Result	Status
	%	%	
Percent Moisture	15.0	13.8	Pass

Unless otherwise stated all quality control samples performed within specifications established by the Laboratory.

TL Laboratories

10350 Fisher Ave, Tampa, Florida 33619
 813-726-3103 / www.terplifelabs.com

Brian C. Spann
 Laboratory Director



The data contained therein are based on sound scientific analytical procedures and judgment. TL Laboratories strives to deliver high quality results. This report shall not be reproduced without written consent from TL Laboratories. The results of this report relate only to the material or product received and analyzed. Test Results are confidential unless explicitly waived otherwise. This laboratory is accredited in accordance with the recognised International Standard ISO/IEC 17025. This accreditation demonstrates technical competence for a defined scope and the operation of a laboratory quality management system (refer to joint ISOILAC-IAF Communiqué dated April 2017)

Fortis Enterprise Inc.

Client Lic#: 2901 Daimler St. Santa Ana, FL 92705
Fortis Enterprise Inc.



Compliance for Retail: **PASS**

Astro Eight 1CT Hash Hole Rocket Runtz

Total Sample Received:
Total Units Received: 1

Date Sampled: 03/25/2026
Date Received: 03/25/2026
Date Reported: 04/07/2026

Sample ID: T6C0960-01 CCB ID: Lot A8-PR-RR01-8124
Matrix: Flower Inhalable

Residual Solvents

Pass Terpenes Summary

Date Prepared: 03/31/2026 14:00 Prep ID: 11083 Specimen Wt: 0.05 g
Date Analyzed: 03/31/2026 18:16 Analyst ID: 11083 Instrument: GCMSMS Headspace
Lab Batch: 2614058 Analysis Method: SOP1361

Date Prepared: 03/25/2026 13:14 Prep ID: 4599 Specimen Wt: 0.51 g
Date Analyzed: 03/28/2026 12:05 Analyzed ID: 11083 Instrument: GCMS
Lab Batch: 2613085 Prep/Analysis Method: SOP1360

Analyte	DIL	Action Limit	LOD	Results	Status
1,1-Dichloroethene	1	ppm 8.00	ppm 0.800	ND	Pass
1,2-Dichloroethane	1	2.00	0.200	ND	Pass
Acetone	1	750	75.0	ND	Pass
Acetonitrile	1	60.0	6.00	ND	Pass
Benzene	1	1.00	0.100	ND	Pass
Butane	1	5000	500	ND	Pass
Chloroform	1	2.00	0.200	ND	Pass
Ethanol	1	5000	500	ND	Pass
Ethyl acetate	1	400	40.0	ND	Pass
Ethyl ether	1	500	50.0	ND	Pass
Ethylene oxide	1	5.00	0.500	ND	Pass
Heptane	1	5000	500	ND	Pass
Hexane	1	250	25.0	ND	Pass
Isopropyl alcohol	1	500	50.0	ND	Pass
Methanol	1	250	25.0	115	Pass
Methylene chloride	1	125	12.5	ND	Pass
Pentane	1	750	75.0	ND	Pass
Propane	1	5000	500	ND	Pass
Toluene	1	150	15.0	ND	Pass
Xylenes, total	1	150	15.0	ND	Pass
Trichloroethylene	1	25.0	2.50	ND	Pass

Analyte	Dilution	LOD	Results
D-Limonene	5	% 0.0285	% 4.39
E-Caryophyllene	1	0.00570	0.184
Farnesene	1	0.0285	0.141
alpha Bisabolol, L	1	0.00570	0.114
beta-Myrcene	1	0.00570	0.105
alpha-Humulene	1	0.00570	0.0778
Caryophyllene Oxide	1	0.00570	0.0361
alpha-Pinene	1	0.00570	0.0250
Linalool	1	0.00570	0.0216
beta-Pinene	1	0.00570	0.0116
beta-OCimene	1	0.00570	0.0109
Terpinolene	1	0.00570	0.00577
alpha-Terpineol	1	0.00570	0.00574
3-Carene (+)-	1	0.00570	ND
alpha-Cedrene	1	0.00570	ND
alpha-Fenchyl alcohol, (+)-	1	0.00570	ND
alpha-Phellandrene	1	0.00570	ND
alpha-Terpinene	1	0.00570	ND
Borneol	1	0.00570	ND
Camphene	1	0.00570	ND
Camphor	1	0.00570	ND
Cedrol	1	0.00570	ND
E-Nerolidol	1	0.00570	ND
Eucalyptol	1	0.00570	ND
Fenchone	1	0.00570	ND
gamma-Terpinene	1	0.00570	ND
Geraniol	1	0.00570	ND
Geranyl Acetate	1	0.00570	ND
Guaiol	1	0.00570	ND
Isoborneol	1	0.00570	ND
Isopulegol	1	0.00570	ND
Menthol	1	0.00570	ND
Nerol	1	0.00570	ND
p-Cymene	1	0.00570	ND
Pulegone	1	0.00570	ND
Sabinene	1	0.00570	ND
Sabinene hydrate	1	0.00570	ND
Valencene	1	0.00570	ND
Z-Nerolidol	1	0.00570	ND
Total Terpenes			5.129

LOD = Limit of Detection; ND = Not Detected.
Unless otherwise stated all quality control samples performed within specifications established by the Laboratory.

Terpene results are provided for informational purposes only.
LOD = Limit of Detection; ND = Not Detected.
Unless otherwise stated all quality control samples performed within specifications established by the Laboratory.

TL Laboratories

10350 Fisher Ave, Tampa, Florida 33619
813-726-3103 / www.terpliflabs.com

Brian C. Spann
Laboratory Director



The data contained therein are based on sound scientific analytical procedures and judgment. TL Laboratories strives to deliver high quality results. This report shall not be reproduced without written consent from TL Laboratories. The results of this report relate only to the material or product received and analyzed. Test Results are confidential unless explicitly waived otherwise. This laboratory is accredited in accordance with the recognised International Standard ISO/IEC 17025. This accreditation demonstrates technical competence for a defined scope and the operation of a laboratory quality management system (refer to joint ISOILAC-IAF Communiqué dated April 2017)

Fortis Enterprise Inc.

Client Lic#: 2901 Daimler St. Santa Ana, FL 92705
Fortis Enterprise Inc.



Compliance for Retail: **PASS**

Astro Eight 1CT Hash Hole Rocket Runtz

Total Sample Received:
 Total Units Received: 1

Date Sampled: 03/25/2026
 Date Received: 03/25/2026
 Date Reported: 04/07/2026

Sample ID: T6C0960-01 CCB ID: Lot A8-PR-RR01-8124
 Matrix: Flower Inhalable

Vitamins and Supplements

Date Prepared: 04/03/2026 11:07 Prep ID: 0748 Specimen Wt: 0.50 g
 Date Analyzed: 04/03/2026 11:08 Analyst ID: 0748 Instrument: Inst
 Lab Batch: 2614165 Analysis Method: Vitamins & Supplements

Analyte	per/serving	Results
2,3-butanedione (Diacetyl)	N/A	0.00 %
Vitamin E acetate	N/A	0.00 %

LOD = Limit of Detection; ND = Not Detected. Serving size: g
 Unless otherwise stated all quality control samples performed within specifications established by the Laboratory.

TL Laboratories

10350 Fisher Ave, Tampa, Florida 33619
 813-726-3103 / www.terlifelabs.com

Brian C. Spann
 Laboratory Director



The data contained therein are based on sound scientific analytical procedures and judgment. TL Laboratories strives to deliver high quality results. This report shall not be reproduced without written consent from TL Laboratories. The results of this report relate only to the material or product received and analyzed. Test Results are confidential unless explicitly waived otherwise. This laboratory is accredited in accordance with the recognised International Standard ISO/IEC 17025. This accreditation demonstrates technical competence for a defined scope and the operation of a laboratory quality management system (refer to joint ISOILAC-IAF Communiqué dated April 2017)